

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1132	intrusion with detection with system	USPAT	OR	ON	2004/09/10 17:07
S2	136	intrusion with detection with system same detect\$3 with change	USPAT	OR	ON	2004/09/10 17:07
S3	131	intrusion with detection with system same detect\$3 with change and @ad<"20010607"	USPAT	OR	ON	2004/09/10 17:08
S4	32	"5919257".URPN.	USPAT	OR	OFF	2004/09/10 17:31
S5	485	steganographic	US-PGPUB; USPAT	OR	ON	2005/06/16 14:49
S6	1	steganographic adj zone	US-PGPUB; USPAT	OR	ON	2005/06/16 14:51
S7	0	insert\$3 with identifier with object same detect\$3 with (instru\$4 modif\$7 chang\$3 virus)	US-PGPUB; USPAT	OR	ON	2005/06/16 14:53
S8	33	insert\$3 with identifier with object and detect\$3 with (instru\$4 modif\$7 chang\$3 virus)	US-PGPUB; USPAT	OR	ON	2005/06/16 14:53
S9	31	insert\$3 with identifier with object and detect\$3 with (instru\$4 modif\$7 chang\$3 virus) and (@ad<"20010607" @prad<"20010607" @rlad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/06/16 15:04
S10	263	(insert\$3 embed\$4 encod\$3) with identifier with (object file) and (search\$3 detect\$3 compar\$3) with (identifier) and (@ad<"20010607" @prad<"20010607" @rlad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/06/16 15:07
S11	116	(insert\$3 embed\$4 encod\$3) with identifier with (object file) and (compar\$3) with (identifier) and (@ad<"20010607" @prad<"20010607" @rlad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/06/16 15:15
S12	19	(insert\$3 embed\$4 encod\$3) with identifier with (object file) same (compar\$3) with (identifier) and (@ad<"20010607" @prad<"20010607" @rlad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/06/16 15:07

S13	97	(insert\$3 embed\$4 encod\$3) with identifier with (object file) and (compar\$3) with (identifier) and (@ad<"20010607" @prad<"20010607" @rlad<"20010607") not S12	US-PGPUB; USPAT	OR	ON	2005/06/16 15:50
S14	19	(insert\$3 embed\$4 encod\$3) with identifier with (object file) same (compar\$3) with (identifier) and (@ad<"20010607" @prad<"20010607" @rlad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/06/16 15:50
S15	65	steganograph\$7 with (identifier) and (@ad<"20010607" @prad<"20010607" @rlad<"20010607") not S14	US-PGPUB; USPAT	OR	ON	2005/11/10 10:32
S16	13	steganograph\$7 with (identifier) and compar\$3 with identifier and (@ad<"20010607" @prad<"20010607" @rlad<"20010607") not S14	US-PGPUB; USPAT	OR	ON	2005/06/16 15:50
S17	13	isolat\$3 with unauthoriz\$3 with objects	US-PGPUB; USPAT	OR	ON	2005/06/16 17:26
S18	13	isolat\$3 with unauthoriz\$3 with object	US-PGPUB; USPAT	OR	ON	2005/06/16 17:27
S19	0	(embed\$4 insert\$3) with identifier with (object code program file) same (compar\$3 match\$3) with identifier with (prevent halt stop) with (execut\$3 run\$4)	US-PGPUB; USPAT	OR	ON	2005/11/08 15:42
S20	0	(embed\$4 insert\$3) with identifier with (object code program file) and (compar\$3 match\$3) with identifier with (prevent halt stop) with (execut\$3 run\$4)	US-PGPUB; USPAT	OR	ON	2005/11/08 15:43
S21	0	(embed\$4 insert\$3) with identifier with (object code program file) same (compar\$3 match\$3) with (prevent halt stop) with (execut\$3 run\$4)	US-PGPUB; USPAT	OR	ON	2005/11/08 15:43
S22	0	(embed\$4 insert\$3) with identifier with (object code program file) same (compar\$4 match\$3) with (prevent halt stop) with (execut\$3 run\$4)	US-PGPUB; USPAT	OR	ON	2005/11/08 15:43
S23	4	(embed\$4 insert\$3) with identifier with (object code program file) and (compar\$4 match\$3) with (prevent halt stop) with (execut\$3 run\$4)	US-PGPUB; USPAT	OR	ON	2005/11/08 15:46

S24	1679	(embed\$4 insert\$3) with identifier with (object code program file)	US-PGPUB; USPAT	OR	ON	2005/11/08 15:46
S25	280	(embed\$4 insert\$3) with identifier with (object code program file) and compar\$3 with identifier	US-PGPUB; USPAT	OR	ON	2005/11/08 15:50
S26	13	(embed\$4 insert\$3) with identifier with (object code program file) and compar\$3 with identifier and prevent\$3 with execut\$3	US-PGPUB; USPAT	OR	ON	2005/11/08 15:50
S27	4	("6612044").URPN.	USPAT	OR	OFF	2005/11/08 15:50
S28	69	(embed\$4 insert\$3) with identifier with (object code program file) same compar\$3 with identifier	US-PGPUB; USPAT	OR	ON	2005/11/08 15:51
S29	26	(embed\$4 insert\$3) with identifier with (object code program file) same compar\$3 with identifier and (prevent\$3 control\$4) with execut\$4	US-PGPUB; USPAT	OR	ON	2005/11/08 15:51
S30	18	(embed\$4 insert\$3) with identifier with (object code program file) same compar\$3 with identifier and (prevent\$3 control\$4) with execut\$4 not S26	US-PGPUB; USPAT	OR	ON	2005/11/08 16:08
S31	6	compar\$3 with (object file program) with identifier same prevent\$3 with execut\$3	US-PGPUB; USPAT	OR	ON	2005/11/08 16:43
S32	18	(check\$3 compar\$3) with identifier same prevent\$3 with execut\$3	US-PGPUB; USPAT	OR	ON	2005/11/08 17:13
S33	536	(check\$3 compar\$3) with identifier with execut\$3	US-PGPUB; USPAT	OR	ON	2005/11/08 17:13
S34	195	(check\$3 compar\$3) with (object file program) with identifier with execut\$3	US-PGPUB; USPAT	OR	ON	2005/11/08 17:14
S35	105	(check\$3 compar\$3) with (object file program) with identifier with execut\$3 and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/08 17:14
S36	12	(embed\$4 insert\$3) with identifier and (check\$3 compar\$3) with (object file program) with identifier with execut\$3 and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/08 17:15
S37	26	steganograph\$7 with (identifier) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 10:42
S38	26	steganograph\$7 with (identifier) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 11:06

S39	0	("6788800").URPN.	USPAT	OR	OFF	2005/11/10 11:05
S40	0	steganograph\$7 and (authenticat\$3 authori\$6 verif\$7) with (identifier) with (execut\$3 run\$4) with (file object program media) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 11:07
S41	107	(authenticat\$3 authori\$6 verif\$7) with (identifier) with (execut\$3 run\$4) with (file object program media) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 11:08
S42	5	(embed\$4 insert\$3) with identifier with (file object program media) same (authenticat\$3 authori\$6 verif\$7) with (identifier) with (execut\$3 run\$4) with (file object program media) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 11:10
S43	10	(embed\$4 insert\$3) with identifier with (file object program media) same (authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (identifier) with (execut\$3 run\$4) with (file object program media) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 11:12
S44	5	(embed\$4 insert\$3) with identifier with (file object program media) same (authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (identifier) with (execut\$3 run\$4) with (file object program media) and (@ad<"20010607" @prad<"20010607") not S42	US-PGPUB; USPAT	OR	ON	2005/11/10 11:10
S45	15	(embed\$4 insert\$3) with identifier with (file object program media) and (authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (identifier) with (execut\$3 run\$4) with (file object program media) and (@ad<"20010607" @prad<"20010607") not S43	US-PGPUB; USPAT	OR	ON	2005/11/10 11:18
S46	25	(embed\$4 insert\$3) with identifier with (file object program media) and (authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (identifier) with (execut\$3 run\$4) with (file object program media) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 11:44

S47	88	S41 not S46	US-PGPUB; USPAT	OR	ON	2005/11/10 11:19
S48	32	(authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (identifier) with (prior before) with (execut\$3 run\$4) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 12:06
S49	2	(authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (watermark) with (prior before) with (execut\$3 run\$4) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 12:18
S50	54	(authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (watermark) with (execut\$3 run\$4) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 12:18
S51	54	(authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (watermark) with (execut\$3 run\$4) and (@ad<"20010607" @prad<"20010607") not S48	US-PGPUB; USPAT	OR	ON	2005/11/10 14:09
S52	2620	(authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (identifier) same (execut\$3 run\$4)	US-PGPUB; USPAT	OR	ON	2005/11/10 14:10
S53	1420	(authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (identifier) same (execut\$3 run\$4) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 14:11
S54	361	(authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (identifier) with (object file program) same (execut\$3 run\$4) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 14:21
S55	108	(authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (object file program) near (identifier) same (execut\$3 run\$4) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 14:22
S56	48	(authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (object file program) near (identifier) with (execut\$3 run\$4) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 14:33
S57	3	("6134597").URPN.	USPAT	OR	OFF	2005/11/10 14:30

S58	25	("4588985" "4881264" "5018196" "5095480" "5210795" "5299263" "5418854" "5475763" "5483597" "5491749" "5491752" "5497421" "5604490" "5673317" "5745570" "5751805" "5774651" "5778068" "5818936" "5832219" "5850449" "5872915" "5875296" "5892905" "5892946").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/10 14:30
S59	4	(authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (object file program) near (identifier) with (integrity virus\$free virus trojan worm malicious) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 14:37
S60	0	("6807632").URPN.	USPAT	OR	OFF	2005/11/10 14:35
S61	11	("5202982" "5404508" "5581764" "5600834" "5694596" "5701316" "5710922" "5742807" "5757915" "5907619" "5991414").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/10 14:35
S62	21	(authenticat\$3 authori\$6 verif\$7 check\$3 compar\$3) with (object file program) with (identifier) with (integrity virus\$free virus trojan worm malicious) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 14:37
S63	17	S62 not S59	US-PGPUB; USPAT	OR	ON	2005/11/10 14:37
S64	41	("5050212").URPN.	USPAT	OR	OFF	2005/11/10 14:43
S65	179	(insert\$3 embed\$4) with object near identifier	US-PGPUB; USPAT	OR	ON	2005/11/10 15:34
S66	1	(insert\$3 embed\$4) with object near identifier and compar\$3 with identifier with (corrupt\$3 virus trojan worm alter\$5 hack\$3 malicious chang\$3)	US-PGPUB; USPAT	OR	ON	2005/11/10 15:35
S67	3	(insert\$3 embed\$4) with object near identifier and compar\$3 with identifier same (corrupt\$3 virus trojan worm alter\$5 hack\$3 malicious chang\$3)	US-PGPUB; USPAT	OR	ON	2005/11/10 15:37

S68	246	steganograph\$7 with (corrupt\$3 virus trojan worm alter\$5 hack\$3 malicious chang\$3)	US-PGPUB; USPAT	OR	ON	2005/11/10 15:37
S69	4	steganograph\$7 with (corrupt\$3 virus trojan worm alter\$5 hack\$3 malicious chang\$3) with compar\$3	US-PGPUB; USPAT	OR	ON	2005/11/10 15:37
S70	120	steganograph\$7 with (corrupt\$3 virus trojan worm alter\$5 hack\$3 malicious chang\$3) with (check\$3 compar\$3 authenticat\$3 authori\$6 verif\$7)	US-PGPUB; USPAT	OR	ON	2005/11/10 15:37
S71	7	steganograph\$7 with (corrupt\$3 virus trojan worm alter\$5 hack\$3 malicious chang\$3) with (check\$3 compar\$3)	US-PGPUB; USPAT	OR	ON	2005/11/10 15:39
S72	1	steganograph\$7 same (watermark identifier) with (corrupt\$3 virus trojan worm alter\$5 hack\$3 malicious chang\$3) with (check\$3 compar\$3)	US-PGPUB; USPAT	OR	ON	2005/11/10 15:39
S73	41	steganograph\$7 and (watermark identifier) with (corrupt\$3 virus trojan worm alter\$5 hack\$3 malicious chang\$3) with (check\$3 compar\$3)	US-PGPUB; USPAT	OR	ON	2005/11/10 15:39
S74	40	steganograph\$7 and (watermark identifier) with (corrupt\$3 virus trojan worm alter\$5 hack\$3 malicious chang\$3) with (check\$3 compar\$3) not S72	US-PGPUB; USPAT	OR	ON	2005/11/10 15:45
S75	14	identifier with prevent with execution	US-PGPUB; USPAT	OR	ON	2005/11/10 15:45
S76	30	identifier with prevent\$3 with execution	US-PGPUB; USPAT	OR	ON	2005/11/10 16:17
S77	425	(generat\$3 creat\$3) with copy with execut\$3 with (program executable object)	US-PGPUB; USPAT	OR	ON	2005/11/10 16:23
S78	2639	(generat\$3 creat\$3) with (second copy) with execut\$3 with (program executable object) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 16:29
S79	5	compar\$3 with identifiers same (generat\$3 creat\$3) with (second copy) with execut\$3 with (program executable object) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 16:31

S80	2146	(generat\$3 creat\$3) near (second copy) with (run\$4 execut\$3) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 16:32
S81	148	(generat\$3 creat\$3) near (second copy) near (run\$4 execut\$3) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 16:36
S82	2	(generat\$3 creat\$3) near (second copy) with prevent\$3 with (corrupt\$3 hack\$3 virus trojan worm) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 16:38
S83	22	(generat\$3 creat\$3) with (second copy) with prevent\$3 with (corrupt\$3 hack\$3 virus trojan worm) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 16:40
S84	31	(generat\$3 creat\$3) with (program object file) with prevent\$3 with (corrupt\$3 hack\$3 virus trojan worm) and (@ad<"20010607" @prad<"20010607")	US-PGPUB; USPAT	OR	ON	2005/11/10 16:40
S85	27	(generat\$3 creat\$3) with (program object file) with prevent\$3 with (corrupt\$3 hack\$3 virus trojan worm) and (@ad<"20010607" @prad<"20010607") not S83	US-PGPUB; USPAT	OR	ON	2005/11/10 16:44
S86	58	(generat\$3 creat\$3) with copy near (program object file) with execut\$3 and (@ad<"20010607" @prad<"20010607") not S83	US-PGPUB; USPAT	OR	ON	2005/11/10 16:45
S87	58	(generat\$3 creat\$3) with copy near (program object file) with execut\$3 and (@ad<"20010607" @prad<"20010607") not S84	US-PGPUB; USPAT	OR	ON	2005/11/10 17:25